











CONTINUE THE CONVERSATION

Continue this important discussion through social media. Many of today's speakers are on Twitter.

The McSilver Institute for Poverty Policy and Research

@NYUMcSilver

Comunilife, Inc.

@comunilifeinc

Dr. Michael A. Lindsey

@DrMikeLindsey

Rev. Michael Walrond

@MikeWalrond

NYU Silver School of Social Work

@NYUSilver

Assemblywoman Carmen De La Rosa

@CnDelarosa

NYC Department of Health & Mental Hygiene

@nycHealthy

From 2008 to 2015 the number of children aged 5-17 admitted to children's hospitals for thoughts of suicide or self-harm more than doubled

Plemmons et al. (2017). "Trends in Suicidality and Serious Self-Harm for Children 5-17 Years at 32 U.S. Children's Hospitals, 2008-2015." Presented at the Pediatric Academic Societies Meeting in San Francisco.

Females attempt suicide three times more often than males

Males are 4 times more likely than females to die by suicide

American Foundation for Suicide Prevention.


Suicide is the third leading cause of death among Black males, ages 15-24, in the US

Bridge, Asti, Horowitz, et al. (2015). "Suicide Trends Among Elementary School-Aged Children in the United States From 1993 to 2012." *JAMA Pediatrics, 169*(7), 673-677.

From 1993-2012, there has been an 86% increase in suicide among Black children, principally males

Black boys ages 5-11 are the only age group where the rates of suicide among Blacks are actually higher than rates among all youth racial and ethnic groups

Bridge, Asti, Horowitz, et al. (2015). "Suicide Trends Among Elementary School-Aged Children in the United States From 1993 to 2012." *JAMA Pediatrics, 169*(7), 673-677.




Bridge, Asti, Horowitz, et al. (2015). "Suicide Trends Among Elementary School-Aged Children in the United States From 1993 to 2012." *JAMA Pediatrics, 169*(7), 673-677.

Suicide is the second leading cause of death, in New York State, for Latina adolescents


New York State Office of Mental Health.

In New York City, Latina teens attempt suicide at more than twice the rate of white youths



Centers for Disease Control and Prevention. (2015). High School Youth High Risk Behavior Survey.

In 2015, one in four female Hispanic or Latina high school students reported seriously considering suicide



Centers for Disease Control and Prevention. (2015). High School Youth High Risk Behavior Survey.

Latina teens currently have the highest rate of suicide attempts among all adolescent groups in the U.S.

Centers for Disease Control and Prevention.

SPEAKERS AND PRESENTERS



MODERATOR
Debralee Santos
Editor, The Bronx Free Press
and The Manhattan Times



PRESENTER
Rosemonde Pierre-Louis
Deputy Director, McSilver
Institute for Poverty
Policy and Research



PANELIST
Carmen De La Rosa
New York State Assemblywoman,
Assembly District 72



PANELIST
Dr. Rosa M. Gil
Founder, President
and CEO, Comunilife, Inc.



Dr. Michael A. LindseyDirector, McSilver Institute for
Poverty Policy and Research



PANELIST
Rev. Michael A. Walrond Jr.
Senior Pastor, First Corinthian
Baptist Church



GUEST SPEAKER Nivia DonesParent



Dr. Neil Guterman

Dean, New York University Silver
School of Social Work

COMMUNITY CO-SPONSORS

New York City Mayor Bill de Blasio
New York City First Lady Chirlane McCray
New York City Comptroller Scott M. Stringer
New York City Public Advocate Letitia A. James
New York City Council Speaker Melissa Mark-Viverito
Congressman Adriano Espaillat
Manhattan Borough President Gale A. Brewer
Bronx Borough President Ruben Diaz Jr.
Assemblymember Carmen De La Rosa
Assemblymember Inez E. Dickens

Assemblymember Herman D. Farrell Jr.
Assemblymember Robert J. Rodriguez
State Senator Marisol Alcantara
State Senator Brian A. Benjamin
State Senator José M. Serrano
Councilmember Andrew Cohen
Councilmember Mark Levine
Councilmember Ydanis Rodriguez
Councilmember Bill Perkins
Manhattan Community Boards 9, 10, 11 and 12































































